

1     **CLAIMS**

2             1.     A system comprising:  
3             a portable integrated circuit device having stored thereon an authentication  
4     application and a definition of a list of trusted applications; and  
5             a computer, coupled to communicate with the portable integrated circuit  
6     device, to,  
7             form a secure connection between the portable integrated circuit  
8     device and an application running on the computer,  
9             request, via the application running on the computer, that the  
10    portable integrated circuit device unlock itself,  
11            receive the list of trusted applications from the portable integrated  
12    circuit device, and  
13            identify to the portable integrated circuit device whether the  
14    application is one of the applications in the list of trusted applications.

15  
16            2.     A system as recited in claim 1, wherein the portable integrated circuit  
17    device is further to authenticate itself to the application running on the computer.

18  
19            3.     A system as recited in claim 1, wherein the portable integrated circuit  
20    device is to unlock itself only if the application is one of the applications on the  
21    list of trusted applications.

22  
23            4.     A system as recited in claim 3, wherein:  
24            the portable integrated circuit device, in unlocking itself, makes private  
25    information stored thereon accessible to the application; and

1 the portable integrated circuit device includes a signaling device to notify a  
2 user of the portable integrated circuit device that it is safe to use the computer.  
3

4 5. A system as recited in claim 4, wherein the signaling device includes  
5 an indicator light.  
6

7 6. A system as recited in claim 1, wherein the portable integrated circuit  
8 device is to unlock itself only if both the application and the operating system  
9 executing on the computer are each one of the applications on the list of trusted  
10 applications.  
11

12 7. An apparatus comprising:  
13 a processor; and  
14 a nonvolatile memory, coupled to the processor, that stores both data and a  
15 program that, when a request to access the data is received, causes the processor to  
16 allow access to the data only if the requester can prove that the requester is an  
17 application on a list of trusted applications maintained by the apparatus.  
18

19 8. An apparatus as recited in claim 7, wherein the apparatus comprises a  
20 smart card.  
21

22 9. An apparatus as recited in claim 7, wherein the program further  
23 causes the processor to:

24 send, to the requester, a challenge;

25 receive a response to the challenge from the requester;

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25

verify the response; and  
determine whether the requester is an application on the list of trusted  
applications only after the response is verified